



## Ydeevnedeklaration

NR. SQS 00070

1. Byggevarere type:	<b>Faste vertikale trafikskilte - vejkantpæl</b>
2. Byggevarere identifikation:	<b>Vejkantpæl type D2</b>
3. Byggevarere tilsligtede anvendelse(r):	<b>For info, vejledning, varsling og retning for trafikanter</b>
4. Fabrikantens navn og adresse:	<b>Seri Q Sign A/S Stærmosegårdvej 30 DK-5230 Odense M</b>
5. Navn og adresse på den bemyndigede repræsentant:	Ikke relevant
6. Systemerne for vurdering og kontrol af konstansen af byggevarere ydeevne (AVCP):	System 1
7. Harmoniseret standard & Notificeret Organ: Har udført  Efter system Og udstedt	EN 12899-3:2007 DBI Certification A/S nr. 2531 Indledende inspektion af fabriksanlæg og fabrikkens egen produktionskontrol samt kontinuerlig overvågning, vurdering og evaluering af fabrikkens egen produktionskontrol. 1 Overensstemmelsesattest for fabrikkens egen produktionskontrol (nr. 2531-CPR-CSC10009)
8. Deklareret ydeevne:	



## Ydeevnedeklaration

NR. SQS 00070

### EXTENT

Type	Performance																																																									
<table border="1" data-bbox="148 663 711 1048"> <thead> <tr> <th colspan="3">Dimensions:</th> </tr> </thead> <tbody> <tr> <td>Length</td> <td>1201</td> <td>mm</td> </tr> <tr> <td>Width</td> <td>107</td> <td>mm</td> </tr> <tr> <td>Width</td> <td>119</td> <td>mm</td> </tr> <tr> <td>Height above road surface</td> <td>1000</td> <td>mm</td> </tr> <tr> <td>Weight</td> <td>1.2</td> <td>Kg</td> </tr> <tr> <td>Shape</td> <td colspan="2">Triangular</td> </tr> <tr> <td>Foundation</td> <td colspan="2">Concrete Composite</td> </tr> </tbody> </table> <table border="1" data-bbox="148 1088 711 1361"> <thead> <tr> <th colspan="1">Plastic Material (White):</th> </tr> </thead> <tbody> <tr> <td>Quattor HS-5502</td> </tr> <tr> <td>Quattor HS-5502 E3</td> </tr> <tr> <td>Braskem HS5502</td> </tr> <tr> <td>Braskem HS5502XP</td> </tr> <tr> <td>Teknisk agentur MB PE 70, hvid</td> </tr> <tr> <td>Teknisk agentur MB PE 70, hvid-1</td> </tr> </tbody> </table>	Dimensions:			Length	1201	mm	Width	107	mm	Width	119	mm	Height above road surface	1000	mm	Weight	1.2	Kg	Shape	Triangular		Foundation	Concrete Composite		Plastic Material (White):	Quattor HS-5502	Quattor HS-5502 E3	Braskem HS5502	Braskem HS5502XP	Teknisk agentur MB PE 70, hvid	Teknisk agentur MB PE 70, hvid-1	<table border="1" data-bbox="799 663 1410 1809"> <thead> <tr> <th colspan="2">Essential characteristics</th> </tr> </thead> <tbody> <tr> <td>Resistance to horizontal loads</td> <td>Pass WL2</td> </tr> <tr> <th colspan="2">Performance under vehicle impact (passive safety)</th> </tr> <tr> <td>Dynamic impact resistance (material requirement)</td> <td>Pass</td> </tr> <tr> <td>Dynamic impact resistance (functional requirement)</td> <td>Pass</td> </tr> <tr> <td>Dynamic impact resistance (passive safety)</td> <td>Pass</td> </tr> <tr> <th colspan="2">Visibility characteristics</th> </tr> <tr> <td>Chromaticity coordinates</td> <td>Pass</td> </tr> <tr> <td>Luminance factor</td> <td>Pass</td> </tr> <tr> <th colspan="2">Durability</th> </tr> <tr> <td>Resistance to corrosion</td> <td>NPD, No metal parts</td> </tr> <tr> <td>Resistance to UV radiation (accelerated natural weathering test)</td> <td>Pass</td> </tr> <tr> <td>Dangerous substances</td> <td>NPD</td> </tr> </tbody> </table>	Essential characteristics		Resistance to horizontal loads	Pass WL2	Performance under vehicle impact (passive safety)		Dynamic impact resistance (material requirement)	Pass	Dynamic impact resistance (functional requirement)	Pass	Dynamic impact resistance (passive safety)	Pass	Visibility characteristics		Chromaticity coordinates	Pass	Luminance factor	Pass	Durability		Resistance to corrosion	NPD, No metal parts	Resistance to UV radiation (accelerated natural weathering test)	Pass	Dangerous substances	NPD
Dimensions:																																																										
Length	1201	mm																																																								
Width	107	mm																																																								
Width	119	mm																																																								
Height above road surface	1000	mm																																																								
Weight	1.2	Kg																																																								
Shape	Triangular																																																									
Foundation	Concrete Composite																																																									
Plastic Material (White):																																																										
Quattor HS-5502																																																										
Quattor HS-5502 E3																																																										
Braskem HS5502																																																										
Braskem HS5502XP																																																										
Teknisk agentur MB PE 70, hvid																																																										
Teknisk agentur MB PE 70, hvid-1																																																										
Essential characteristics																																																										
Resistance to horizontal loads	Pass WL2																																																									
Performance under vehicle impact (passive safety)																																																										
Dynamic impact resistance (material requirement)	Pass																																																									
Dynamic impact resistance (functional requirement)	Pass																																																									
Dynamic impact resistance (passive safety)	Pass																																																									
Visibility characteristics																																																										
Chromaticity coordinates	Pass																																																									
Luminance factor	Pass																																																									
Durability																																																										
Resistance to corrosion	NPD, No metal parts																																																									
Resistance to UV radiation (accelerated natural weathering test)	Pass																																																									
Dangerous substances	NPD																																																									



## Ydeevnedeklaration

NR. SQS 00070

### TEST DOCUMENTATION

Laboratory	Report no.	Date
SP Technical Research Institute of Sweden	PX11324 rev 1	2015-02-06

### TECHNICAL BASIS

File number	Title	Date
None	Quattor HS-5502,	2010-01-03
None	Quattor, HS-5502 E3	2010-01-03
None	Braskem HS5502, r5	April 2015
None	Braskem HS5502XP, r1	April 2015
None	Teknisk agentur MB PE 70, hvid,	2009-10-07
None	Teknisk Agentur MB PE 70, hvid 1	2011-02-21
None	Drawing N41	2013-11-27
None	Statement	2017-10-16



## Ydeevnedeklaration

NR. SQS 00070

9. Ydeevnen for den byggevare, der er anført i punkt 1 og 2, er i overensstemmelse med den deklarerede ydeevne i punkt 8.

Denne ydeevnedeklaration udstedes på eneansvar af den fabrikant, der er anført i punkt 4.  
Underskrevet for og på vegne af fabrikanten af:

Odense 2019-01-29, Paul Pedersen, Produktionschef